





- Heavy duty 28 ball bearing drawer slides
- Robust wall construction
- Double powder coating resists scratching
- Full drawer extension capabilities

**HEAVY DUTY FULL EXTENSION DRAWERS** 

**HEAVY DUTY BALL BEARING DRAWER SLIDES** 

TOOL STORAGE

Spanners and sockets housed in EVA foam organiser trays

**DUAL GAS STRUT LID STAYS** 



1070(W) x480(D) x 1070(H)





SP50613BKNZ











205PC CUSTOM SERIES TOOL KIT METRIC/SAE 668W X 316D X 461H



QUAD DRIVE SPANNERS







**METRIC ONLY** 668(W)X 445(D) X 465(H)

SP50120BK



SP50099BK

# SOCKET SETS

# 90% ROUNDED **OFF BOLTS**





We've re-invented the socket by focusing pressure on the centre of the bolt's flats, providing maximum torque to otherwise unmanageable bolts

EACH

11PC 1/4"DR METRIC SP33014

SP33015

10PC 1/4"DR SAE

EACH

10PC 3/8"DR METRIC

SP33024

SP33025



### 59PC 1/4", 3/8" & 1/2"DR SOCKET SET

- 1/4": 4 to 22mm & 1/4 to 1/2" • 3/8": 13 to 19mm & 9/16 to 3/4"
- 1/2": 21, 22, 24, 27, 30 & 32mm
- + ACCESSORIES

SP20280



### 26PC 1/2"DR METRIC/SAE SOCKET SET

- •METRIC: 10 to 19mm SAE: 7/16 to 1"
- 45T Ratchet
- Flex Handle
- Wobble Extension Bars
- Spark Plug Sockets

SP20306



### 23PC 1/4"DR METRIC/SAE SOCKET SET

- METRIC: 4 to 13mm
- SAE: 3/16 to 1/2"
- 45T Ratchet
- Flex Handle • Extension Bar

SP20100



### 32PC 3/8" METRIC/SAE SOCKET SET

- METRIC: 6 to 22mm • SAE: 1/4 to 7/8"
- Spark Plug sockets
- Plus accessories

SP20200



### 41PC 1/4"DR METRIC/SAE SOCKET SET

- METRIC: 4 to 13mm SAE: 7/32 to 1/2" Bits set 18pc Ratchet
- Flex Handle
- Extension Bar

T820101



### 50PC 3/8"DR METRIC/SAE SOCKET SET

- METRIC: 8 to 22mm SAE: 1/4 to 7/8"
- Bits set 18pc Ratchet
- Flex Handle Extension Bar

T820201



### 39PC 1/2"DR METRIC/SAE SOCKET SET Spark plug sockets

- 12pt 8 to 32mm
- 12pt 3/8 to 1-1/4'
- Universal joint • Ratchet • Flex handle • Extension bars
- T820300



### 26PC 3/4"DR METRIC/SAE SOCKET SET

METRIC: 22, 24, 27, 30, 32, 36, 38, 41, 46 & 50mm
SAE: 7/8, 15/16, 1, 1-1/8, 1-3/16, 1-5/16, 1-3/8, 1-7/16, 1-5/8, 1-3/4, 1-7/8 & 2"





SP20541



### 1/4" TORX SOCKET RAIL SET



### 1/2"DR SOCKET RAIL SETS

SP20330



6 PT



1/2"DR STUBBY IMPACT SOCKET RAIL SET

**\$99** 



1/2"DR WHEEL NUT IMPACT SOCKET RAIL SET







**GEAR DRIVE** RING OPEN END

**OUAD DRIVE** SPANNER SETS

**9PC METRIC** SP10109 • 8, 10, 12, 13, 14, 15, 17, 18 & 19mm

/16, 3/8, 7/16, 1/2, /16, 5/8, 11/16 & 3/4"







• METRIC: 8, 10, 11, 12, 13, 14, 15, 16, 17 & 19mm • SAE: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 & 7/8"

19, 21, 22 & 24mm SP10017



FLEX HEAD GEAR DRIVE ROE QUAD DRIVE

METRIC & SAE SET AVAILABLE

• 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18,

11pc METRIC 🖇 🕡 SP10311

8pc SAE • 5/16 to 3/4" **\$24** SP10358



### **DOUBLE FLARE NUT SPANNER SETS**

4pc METRIC SP10044

4pc SAE SP10094


HOT DEAL



**EXTRA LONG SPANNER SET** 

**6pc METRIC** SP10036

4pc SAE • 3/8 to 11/16" SP10084



**BOX GEAR DRIVE DOUBLE RING SPANNER SET** 

12pc METRIC • 8 to 19mm SP10412

8pc SAE • 5/16 to 3/4" SP10468

# **SPANNER SETS**


# **SLOGGING SPANNERS**

Slugging /Slogging / **Striking Spanners** designed for use with a sledgehammer or pneumatic hammers for heavy mechanical

MODEL	SIZE	PRICE
SP19430	30mm	\$30
SP19432	32mm	\$32
SP19434	34mm	\$35
SP19436	36mm	\$39
SP19438	38mm	\$42
SP19441	41mm	\$45
SP19446	46mm	\$61
SP19450	50mm	\$76
SP19455	55mm	\$77
SP19460	60mm	\$88
SP19465	65mm	\$112
SP19470	70mm	\$147
SP19475	75mm	\$149
SP19480	80mm	\$175
SP19485	85mm	\$222
SP19490	90mm	\$258
SP19495	95mm	\$277
SP19500	100mm	\$299



# RATCHET PODGER BARS



STUBBY PODGER RATCHET BARS

ALSO AVAILABLE IN STUBBY SIZES

MODEL SIZE PRICE

REVERSIBLE RATCHET HEAD

















### FINGER TIP RATCHET/ **SOCKET SET**

### EXTREME COMPACT

 Compact, low profile 10 & 13mm finger ratchet drivers perfect for loosening/tightening bolts and nuts in tight work spaces and close quarters



### **37PC BIT SET PROFESSIONAL**

INCLUDES

- Hex, Spline, Torx & Ribe Bits
- Extension Bit Holder
- 3/8" Dr Bit Adaptor 1/2" Dr Bit Adaptor

SP39610



### 71PC 1/4"DR **BIT SET**

Hexagon, Phillips, Pozidrive, Square Slotted, Spanner, Torx Star, Tamper Torx. Torx Plus, Spline Bits, Universal Bit Holder and Adaptors

SP39511



### **60PC PROFESSIONAL** BIT SETT

- 10mm Dr Inhex Shank 30mm(L) Bits 10mm Dr Inhex Shank 75mm(L) Bits
- Adapters
- 10mm Inhex Bit Adapters
   1/2"Dr x 14mm Inhex Bit Adapter
   Inhex Buffer Adapter



### 25PC RATCHET DRIVER SOCKET & BIT SET

Adaptor

Sockets: 7pc


• 5, 6, 7, 8, 9, 10 & 11mm

- Ratchet Driver Universal Joint
- Phillips Bits
- #0, #1, #2 & #3 Slotted Bits
- 3, 4, 5 & 6mm • Torx Bits T8, T10, T15, T20, T25 & T40









COLOUR CODED METRIC SP34531

• 1.5, 2, 2.5, 3, 4, 5, 6,

SAE SP34532

1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8"

TORX SP34537

• T10, T15, T20, T25, T27 T30, T40, T45 & T50

BALL DRIVE ON METRIC & SAE SETS AVAILABLE IN METRIC, SAE & TORX



METRIC SP34501

• 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10mm

SP34502

1/16, 5/64, 3/32, 1/8 5/32, 3/16, 1/4, 5/16

SP34507

• T10, T15, T20, T25, T27, T30, T40, T45 & T50

BALL DRIVE ON METRIC & SAE SETS

**13PC BALL DRIVE HEX** 

**KEY SETS MAGNETIC** AVAILABLE IN METRIC & SAE SETS

METRIC SP34521

• 1.27, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 & 10mm

SAF SP34522 • 0.05, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32, 1/4", 5/16" & 3/8"

(No. 24)

(No. 16

**EACH** 

### 13PC KEY SETS JUMBO

AVAILABLE IN METRIC & SAE

METRIC SP34528

• 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12, 14, 17 & 19mm

SP34529 • 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8 & 3/4"



### **8PC SLIDING T-HANDLE KEY SET**

METRIC: 2.5, 3, 4, 5, 6, 7, 8

3 SIDED **HEX ENDS** 







## **MULTIGRIPS SET HIGH LEVERAGE**

- High leverage allows for effortless extended use
- Multiple iaw position for heavier and varied gripping applications
- INCLUDES • 165mm (6")
- 240mm (9") 320mm (12'

SP32910



### **7PC TAPER PUNCH SET**

• 1, 2, 3, 4, 5, 6 & 8mm Designed for driving

out rivets and pins, free frozen nuts and remove bearings





### **7PC PIN** PUNCH SET

INCLUDES

• 2, 3, 4, 5, 6, 8 & 10mm

 Designed to and rivets





## **FOLDING UTILITY KNIFE** LOCK-BACK

Integrated wire cutting notch Lightweight alloy handle with 5x integrated hexagonal sockets

FOLDING LOCK-BACK SCRAPER COMBO UTILITY KNIFE Blade rotates 90° to transition into scraper Rapid push-button blade change

SP38051

ROTATABLE **BLADE** 



# **7PC PANEL BEATING SET**

The perfect panel beating set for any workshop, featuring the most commonly used dollies & hammers - you'll be well equipped to handle the vast majority of panel

- KIT INCLUDES
   Pick & Finish Hammer
- Standard Bumping Hammer
   Straight Pein &
   Finishing Hammer
   Double End Hand Dolly
   Curved Dolly
   Utility Dolly
   Heal Polly







\$29



SP30163

SP30167



\$69 SP30154 24oz SP30155 \$79

### **CLUB HAMMERS** ONE PIECE - ANTIVIBRATION

Dual striking faces, antivibration head and shaft design

One piece hardened and tempered carbon



### SLEDGE HAMMERS FIBREGLASS HANDLE

### · Heat treated head with overstrike protector

• Durable nanofiber handle for unrivalled

strength and shock reduction

• Non-slip rubber grip





FOR FULL PRODUCT DETAILS ON THE SP TOOLS RANGE, VISIT









@sptoolsnz





### ORGANISERS • IDEAL FOR TOOLKIT ORGANISATION

### **STUBBY** PLIER RACK SPANNER RACKS SPANNER RACK HOLDS UP TO 15 SPANNERS HOLDS UP TO 12 PLIERS Versatile spanner organiser designed to neatly store op end, ring or combination HOLDS UP TO 12 SPANNERS Designed to neatly store stubby open end, ring or combination spanners. Built in eyelet mounting holes ideal for wall mounting, peg boards, shadow boards or tool cabinets Fuel and solvent resistant SP31717 SP31716

**FORWARD** 

SP31717 REVERSE SP31716

FOR FULL PRODUCT DETAILS ON THE SP TOOLS RANGE, VISIT

SP31720

WWW.SPTOOLSNZ.COM

SP31710

### **SEAL TOOL KIT** 24 PIECE

- Ideal for easy removal and installation of camshaft and crankshaft seals
- Compact puller with unique extracting hooks engage seal for quick removal
- Suits seals from 21.5mm to 64mm



### 1/2"DR CRANKSHAFT BOLT **REMOVAL TOOL**

- Use where impact
- guns won't fit

  Loosens and tightens
- Recommended for use with impact



from vehicle components such as gearboxes and differentials. Translucent body allows easy inspection of oils and fluids.

FROM

SP65122 200ml *\$39* \$79 SP65123 1500ml

SP70865

ENGINE SERVICE

### **FEELER GAUGE SET** 32 PIECE

- 0.0015" 0.035" Marked with
- equivalent metric sizes
- Straight blades 85mm (L) x 13mm (W)

### **26PC OFFSET FEELER GAUGE** DOUBLE SIDED 🐗

- Marked with equivelent
- metric/inch sizes 005"-030" (0.127-0.762mm)



Offset blades 100mm (L) x 13mm(W) with 25mm offset tips

### **OIL FILTER WRENCH** 3 PRONG **REVERSIBLE**

 Suits oil filters Ø60mm to Ø100mm

• 1/2" Square drive or hex drive

SP64000

### **VALVE SPRING COMPRESSOR**

- Universal jaw with 75 to 165mm capacity & 150mm
- throat depth 8" valve pinchers

SP66024

### **49PC DIESEL INJECTOR FLOW TEST KIT**

- Designed to measure return fuel flow on diesel vehicles up to 8 cylinders fitted with common rail injection system
- Supplied with measurement tubes for short term tests and measurement bottles for long term. more accurate evaluation

### **ENGINE OIL** PRESSURE TESTER

- · Large and easy to read dial • Pressure scale: 0-100psi /
- 0-700kpa



### **HEAVY DUTY PETROL COMPRESSION TESTER KIT**

- Easy reading 2-5" gauge features colour coated quadruple calibrations 0-300psi 21kg/cm, 21bar & 2100kpa
- 13" durable rubber hose with 14mm/18mm adapter
- 6" Heavy duty stem with universal rubber cone adapter fits all plugs
- Pressure relief valve allows repeated on-vehicle tests



### **TWIN HOOK SEAL PULLER**

- Suitable for safe removal of oil and grease seals found in auto drives and transmissions
- Two hook sizes to fit most seal
- applications 325mm length



### 3 PRONG OIL **FILTER** WRENCH

- Compact design great for confined areas

  • Suits oil filters
- Ø58 mm to Ø95mm 3/8" Drive



### **OIL FILTER WRENCH CAR STRAP TYPE**

• 1/2" Square Drive Suits oil filters up to Ø150mm (6")

 Non-slip nylon strap

### **OIL FILTER WRENCH** TRUCK STRAP TYPE

- Suits oil filters up to
- Ø300mm (12") Satin finish cast steel body with 3/8" and 1/2" sq drives









# 12V SX BOOST JUMP STARTERS

TWO MODELS AVAILABLE

12V 2000A 7L 5L DIESEL

12V 3000A 9L 7L

MODEL

OUTPUT CAPABILITY

PRICE

SP61093 7L Petrol 5L Diesel

2000A

SP61095 9L Petrol 7L Diesel 3000A

**FROM** 

<sup>\$</sup> 299



### **DELUXE BATTERY CHARGE & CRANKING**

### SYSTEM TESTER

- Test the battery CCA and the state of health
  Quickly input battery Ah value to test batteries in batches
  Test cranking system and charging system of vehicles with out damaging the battery performance
  Built-in protection of short circuit and reverse connection

### **SPECIFICATIONS**

SP64041

Quick easy methor set spark plug gap Suits any size from 0.020 to 0.100 (0.6 -

2.4mm)





### **OFFSET OXYGEN SENSOR SOCKET**

• Window in socket allows the wires attached to the sensors to be bypassed

 Applications include Mitsubishi, Nissan, GM and the Volkswagon Audi Group

SP64061

### 3/8"DR OXYGEN SENSOR SOCKET

- 3/8"Dr x 22mm (6pt) Applications include:
   Mitsubishi, Nissan, GM and the Volkswagen
- Audi Group
   For heated & non-heated lambda sensors

SP64060

RAMP GAUGE 14/18MM SPARK **PLUG HOLE** 

damaged spark

RETHREADER Cleans & repairs

SP31300

SP62042

3/8"dr x 22mm

### **TIMING LIGHT PROFESSIONAL**

- Four functions, digital readout
- & easy to read backlit LCD

   Tachometer: 249 to 9.990RPM
- Advance degrees (2 & 4 cycle DIS and Conventional): 0° to 90° (+/-.5° Accuracy)

REMOTE STARTER **SWITCH** 

 Used to bypass ignition switch by connecting starter to solenoid



### **AUTOMATIC WIRE STRIPPERS**

- Insulated: AWG: 10-22
- (0.5-6mm²) Non Insulated: AWG: 12-10, 16-14, 22-18 (4-6, 1.5-2.5, 0.5-1mm<sup>2</sup>)
- 200mm (8")
- Crimper features
   Strips and cuts

cable or wire 24-10 AWG (0.2 to



### **QUICK CHANGE RATCHET CRIMPER KIT**

to suit insulated terminals, non-insulated

 Ouick release



### RATCHET CRIMPER

- AWG: 10-22 (0.5-6mm<sup>2</sup>)
- 220mm (8.5") hand ratchet crimper for



**PLIERS**  Suitable for cleaning and spreading

**BATTERY TERMINAL** 

SPREADER & REAMER

battery cable terminals

SP61003



KIT INCLUDES: PROBE TEST LEADS (STANDARD TO BANANA PLUG) K-TYPE TEMPERATURE PROBE

SP62015



### **DELUXE DIGITAL AUTOMOTIVE MULTIMETER**

- Measures DC/AC voltage, DC/AC current (max 10A), resistance, capacitance, frequency (electrical & electronic), continuity & diode check
- True-RMS measurements Large 6000 count digital LCD
- Auto ranging
- Hold function CAT III 1000V

SP62016

### **DIGITAL** MULTIMETER AUTOMOTIVE

- RPM measurement for 2–10 cylinder automotive engines using the inductive pick-up
- 14 functions Check SPTOOLS. COM for a full list of features and applications

SP62011











STANDARD BLADE





### **CIRCUIT TESTER LONG PROBE**

### 6 TO 24V

- Sharp, extra long, insulated probe
- 3.6m Spring relief cord



Crocodile clip



Professional compact and • Rapid heat technology, get started lightweight cordless soldering iron (melts solder) in just 16 seconds with 3 interchangeable soldering tips Up to 45 minutes of continuous us T832294

SELF-IGNITING **PROFESSIONAL GAS SOLDERING/ TORCH KIT** 

### INCLUDES:

- Refillable butane gas soldering iron
  Lead free soldering wire in dispenser
- Cleaning sponge
  Heat insulated protective head cap
  Deflector attachment





CIRCUIT TESTER

Light for testing

electrical circuits

parallel switches



### + HEAT SHRINK FUNCTION

- Professional rechargeable li-ion cordless soldering iron with 3 interchangeable tips to suit most soldering applications ideal for various applications in automotive repairs, electrical/electronic circuit repair

### KIT INCLUDES:



90W CORDI ESS RECHARGEABLE LI-ION BATTERY



700° (1292°F) IN UNDER 10 SECONDS CONTINUOUS RUN TIM







**ADDITIONAL ACCESSORIES AVAILABLE SEPERATELY** 

HOT KNIFE TIP

POWER











FOR FULL PRODUCT DETAILS ON THE SP TOOLS RANGE, VISIT

**HEAVY DUTY** 

STORAGE CASE INCLUDED

PTOOLSNZ.COM







@sptoolsnz > sptoolsnz



# **LIGHTING** COMPACT **COB LED** LIGHT

# **ULTRA BRIGHT** INSPECTION

- High powered COB LED worklight with LED inspection spot light
   Ultra bright 500 Lumen mode for extremely dark areas
   Compact and lightweight
- aluminium housing

SP81437



- Adjustable Dimmer Worklight
- Flexible Magnetic Base
- Magnetic zone holds while charging







### SLIMLINE COB LED WORKLIGHT

 Dual fold 270 articulating head allows users to adjust the light to illuminate hard to reach spaces and can also illuminate tight crevices from within

270°



THE ULTIMATE WORKLIGHT WHEN YOU'RE ON THE MOVE KEEP YOUR OTHER DEVICES CHARGED WITH OUR
CONVENIENT POWER BANK EFATURE





### **WIRELESS CHARGE SMD LED WORK LIGHT & TORCH TWIN PACK**

- WORKLIGHT/TORCH

   SMD LED Worklight: 500 Lumen
- LED Torch: 150 Lumen Adjustable Dimmer Worklight:
- 500 to 75 Lumens
- Flexible Magnetic Base • 180° Fold Out Hook

### COMPACT WORKLIGHT/TORCH

- SMD LED Worklight: 300 Lumen
- LED Torch: 100 Lumen
   Adjustable Dimmer Worklight:
- 300 to 30 Lumens • Flexible Magnetic Base
- 180° Fold Out Hook
  DUAL ZONE CHARGING PAD
- Dual charging zones
- lagnetic zones hold lights
- firmly in place while charging



SP81499













**WIRELESS** 





### **MULTI-FUNCTION UV INSPECTION LED**

### MAG BASE WORK LIGHT/TORCH

PROFESSIONAL GRADE UV LIGHT IDEAL FOR SCRATCH INSPECTION AND LEAK DETECTION

- 4 brightness settings: low/medium/high & UV
- 90° Rotatable head -Swivels into L-shape









HOT



### **COMPACT SWIVEL COB LED WORK LIGHT**

- Rechargeable



**EXTENDABLE** Easily adjusts to sui

bonnet sizes up to 1800mm







HOT

DEAL

SP81466

# • Ultra bright COB LED work light

**LED WORK** 

- High power LED torch/top light
- Adjustable dimmer switch work light
- 120° Pivoting slimline head
- 360° fold out book

**SLIMLINE COB** 

**LIGHT & TORCH** 

- Strong magnetic base
- Water/splash resistant IP54
- Impact resistant IK07 Rechargeable
- Battery level and charge indicator
- USB C charging system
  Battery: 3.7v 2600mAH
- Charging time: 4 Hours



















 Overall Length: 180mm Width: 20mm















### PREMIUM UNDER BONNET **CORDLESS LED** WORKLIGHT

- High power SMD LED work light
- Low heat emission
- Brightness control 2 settings
- 360° Swivel light Diffused lens for softer lighting and reduced shadow
- Wide 120° light spread



360°

























### BRAKE FLUID RESERVOIR

RE-FILLER - 600ml Automatically refills brake fluid

reservoir during brake bleeding
Retaining clip provides positive clamping to all master cylinder

reservoir types
• Height adjustment maintains correct fluid level; prevents running brake fluid reservoir dry

### BRAKE BLEED BOTTLE

- Large collection bottle
- Universal rubber fitting holds securely on brake bleed screw
- Internal submersed tube prevents air drawback during brake bleeding
- · Hanging hook for hands free use

SP70858







### **HI-VIS LINE CLAMPS**

- Smooth rounded edges on jaws will not damage internal hose
- Light weight, non conductive, highly visible material
- Jaw design eliminates damage to hoses
- Available in sizes to suit flexible brake and fuel lines and large

## **MEASURING DIGITAL TORQUE WRENCHES** Digital torque value readout Reversible ratchet head - counte clockwise and clockwise torque ld & track mode zzer & LED indicator for e-settable target torque nge selection: Nm, REVERSIBLE Ratchet Head TORQUE TARGET ALARM DIGITAL DISPLAY

### **DIGITAL FLEX HEAD TORQUE WRENCHES**

### ONE-STEP TORQUE-ANGLE

- Flex Head Ratchet The ultimate in

- Hex Head Ratchet The ultimate in confined space convenience
   Range selection: Nm, in-lb, ft-lb, kg-rm, "°"
   Calibrated for both Clockwise and Anti-Clockwise use
   Warning LED's and audible alarm sounds within 10% of target value.
- target value
  Automatic torque value
  compensation for flex head
  angle deviation
  Selectable Torque
  Functions: Peak mode &
- Tracking mode
  Angle function: 0° to 360° (+/- 2% accuracy)
  Able to measure the undo torque
- of fasteners

FLEX HEAD DIGITAL DISPLAY

REVERSIBLE RATCHET HEAD

SP35256

TORQUE TARGET ALARM Visual and Audio

3/8" 6.8 to 135Nm 425mm

1/2"

10 to 200Nm 535mm SP35357

1/2"

17 to 340Nm 655mm SP35358 adjustment

Adjuster lock will hold required setting during use

Easy readable scale convex lens enlarges well defined, bold scale numbering. (Nm scale only)

Quick release mechanism REVERSIBLE Ratchet Head

MICROMETER TORQUE WRENCHES

Click type signal alerts user when the required torque is reached
 Reversible ratchet (clock wise torque)

• Scale Adjuster - accurate & easy

TORQUE TARGET ALARM Audible click for when torque target is reached

**EASY TO READ** 

MODEL	DRIVE	LENGTH	RANGE	PRICE
SP35152	1/4"	323mm	5-25Nm	\$1 <b>8</b> 5
SP35252	3/8"	400mm	20-100Nm	\$219
SP35352	1/2"	517mm	40-200Nm	\$229
SP35353	1/2"	517mm	60-340Nm	\$259
SP35463	3/4"	918mm	110-550Nm	\$925
SP35473	3/4"	1200mm	150-750Nm	\$995
SP35573	1"	517mm	60-340Nm	\$1295

### 17 to 340Nm 650mm 8 METRE MEASURING TAPE

Easy to lock

1/4" STUBBY

3/8" STUBBY 🍣

1 to 20Nm 216mm

4.2 to 85Nm 290mm

1/2"

530mm

1/2"

10 to 200Nm

- & release
   20% thicker blade • 8m x 25mm



SP35355

SP35356

### **ANGULAR TORQUE GAUGE - 1/2"DR**

- Allows correct tensioning of fasteners by
- degrees of torque

  Can be used for all torque-to-yield applications
- 360° scale (Dial Pointer)



### 150MM/6" DIGITAL **VERNIER CALIPERS**

- Graduation 0.01mm/0.0005"
- 4-way measurement Inside. outside, step & depth



- Easy to read LCD screen
   Metric & SAE measurement
- Thumb lock adjustment. Hardened stainless steel

### **AVAILABLE IN 2 SIZES**

MODEL SIZE SP35631 150mm/6" SP35632 200mm/8" \$169

# COOLING

Ideal for fitting and removing Clic & Clic-R hose clips

**HOSE CLIP PLIERS** 

175мм

**CLIP PLIERS - 225MM FLAT BAND** 

• Special "-" slot and "o" slot

**CLIP PLIERS - 225MM** Ideal for replacing lower radiator hoses and fits most size clamps

### **SWIVEL JAW**

Special "v" slot and cross slot jaws

# **HOSE CUTTER** PLASTIC & RUBBER Compound ratchet action • 42mm

**COOLING SYSTEM FLUSHING GUN** 



### REFRACTORMETER HAND-HELD

- Accurate concentration check of battery fluids, antifreeze liquid & cleaning fluids
- Suitable for ethylene & propylene glycol coolants



**FLEXI HOSE CLAMP PLIER** 

> Fitted with 630mm long cable For clamp dia. from 18mm to 50mm (approx)



• Ethylene Glycol: -60°C- 0°C Propylene Glycol: -50°C- 0°C
Battery Fluid: 1.15 – 1.30 SP61005 SP72604

14

# **WORKSHOP**



### **KNEELING PAD**

550 x 320 x 22mm

 Reduces knee and lower back pain from kneeling on hard surfaces





### **MAGNETIC PROTECTOR**

810mm (w) x 645mm (H)

- · Vinyl with soft inner to protect car paintwork
- Contains hidden sleeved magnets to hold cover firmly in position
- Resistant to oil, grease & water





# **NITRILE GLOVES**

### **HEAVY DUTY POWDER FREE AMBIDEXTROUS**

- Waterproof and oil proofTough and durable
- Touch screen combitible
   Puncture resistant

SP68803 LARGE SP68804 X-LARGE

**GLOVES PER PACK** 

**EACH** HOT DEAL

### SAFETY GLASSES

• Tough polycarbonate clear lenses Protects eyes from all angles



SPR80

### **EAR PROTECTION**

 Class 5 32db protection for high noise applications



### HEAVY DUTY WORKSHOP SEAT

- Heavy duty chrome polished frame
  Easy access storage tray
- High density foam seat







 Adjusts from 660 to 787mm

SPR-60





• 370 x 400 x 367mm

 High density foam padded seat

### **SANDBLASTING GUN-1 LITRE**

· Adjustable nozzle assures that the amount of sand can be regulated as required

 When the handle is activated, the airflow sucks the sand up out of the container and is ejected from the nozzle at high speed





SP65010



### **FLEXIBLE**

- PE tank and tube with
- adjustable spray/jet nozzle
   Lance with adjustable nozzle
- with cone • Capacity: 1 Litre





FOR FULL PRODUCT DETAILS ON THE SP TOOLS RANGE, VISIT

OOLSNZ.COM



@sptoolsnz | sptoolsnz





sptoolsnz



# SPTOOLSNZ.COM f sptoolsnz [6]











### **DIAGNOSTIC TROLLEY 4 DRAWER**

964w x 414d x 964h (mm)

- Internal locking system for extra
- Heavy duty ball bearing drawer slides
- Robust wall construction
- Double powder coating resists scratching
- Full drawer extension capabilities
- 4x swivel (2x lockable) heavy duty castors

WORK SURFACE WITH STORAGE COMPARTMENT UNDERNEATH

SP40015BK





- 2x Fixed & 2x lockable
- swivel heavy duty castors • 150kg Load Cap.

### COLOUR OPTIONS

SP40019 SP40019G

SP40019BL SP40019BK





# **CUSTOM SERIES**

7 Drawer tool box

668w x 316d x 461h (mm)

- Internal locking system
- Heavy duty 28 ball bearing drawer slides
- Robust wall construction
- Double powder coating
   Full drawer extension capabilities



SP40101BK

### **NEED MORE** STORAGE SPACE? ∨



### 3 DRAWER INTERMEDIATE TOOL BOX 670w x 316d x 265h (mm)

- Internal locking system
   Heavy duty 28 ball bearing drawer
- Robust wall construction
- Double powder coating resists scratching



SP40110BK

